



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Friday, November 13, 2015** at 12:15 a.m. Eastern Time. Please contact NSF International to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/DWTU/Listings.asp?Standard=055&Company=02850&>

Note: Certain claims, such as Arsenic (Pentavalent) Reduction, appear as active links, allowing you to access additional information regarding the specific contaminants.

NSF/ANSI 55 Ultraviolet Microbiological Water Treatment Systems

Access Business Group LLC

7575 Fulton Street East

Ada, MI 49355

United States

616-787-6133

Visit this company's website

(http://www.espring.com/default_country.aspx)

Facility : # 1 USA

Brand Name / Trade Name / Model	Replacement Bulb	Flow Rate (gpm)	Claim
Plumbed-In to Separate Tap			
eSpring Model 100185 (100189)[Pb]	100186	.9	Disinfection Performance, Class B
eSpring Model 100185A (100189A)	100186ME	.9	Disinfection Performance, Class B
eSpring Model 100185E (100189#)[1]	100186E	.9	Disinfection Performance, Class B
eSpring Model 100185HK (100189J, K, T)	100186IN, J, K, T, TH	.9	Disinfection Performance, Class B
eSpring Model 100185MX (100189MX)	100186MX	.9	Disinfection Performance, Class B
eSpring Model 100185UA (100189UA)	100186UA	.9	Disinfection Performance, Class B

[1] # - Suffix B, D, HS, NC, P, SK, or W based upon market of distribution.

[Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Counter-Top Connected to Sink Faucet

eSpring Model 100185 (100188)[Pb]	100186	.9	Disinfection Performance, Class B
-----------------------------------	--------	----	-----------------------------------

eSpring Model 100185A (100188A)	100186ME	.9	Disinfection Performance, Class B
eSpring Model 100185E (100188#)[1]	100186E	.9	Disinfection Performance, Class B
eSpring Model 100185HK (100188##)[2]	100186IN, J, K, T, TH	.9	Disinfection Performance, Class B
eSpring Model 100185MX (100188MX)	100186MX	.9	Disinfection Performance, Class B
eSpring Model 100185UA (100188UA)	100186UA	.9	Disinfection Performance, Class B
eSpring Model E4620J/E4872J	E4621J	.9	Disinfection Performance, Class B

[1] # - Suffix B, D, HS, NC, P, SK, or W based upon market of distribution.

[2] [3] ## - Suffix J, K, M, T, TH, HK, or IN based upon market of distribution.

[Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Facility : # 1 Malaysia

Brand Name / Trade Name / Model	Replacement Bulb	Flow Rate (gpm)	Claim
Counter-Top Connected to Sink Faucet			
eSpring Model 100185 (100188)[Pb]	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185A (100188A)	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185E (100188#)[1]	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185HK (100188##)[2]	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185MX (100188MX)	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185UA (100188UA)	100186[3]	.9	Disinfection Performance, Class B

[1] # - Suffix B, GR, HS, R, SA, SK, or W based upon market of distribution.

[2] ## - Suffix HK, IN, J, K, M, PH, SG, T, or TH based upon market of distribution.

[3] Suffix - Replacement Element - 100186 - E, J, K, ME, M, T, TH, RK based upon market of sale.

[Pb] Product also evaluated and determined to possess weighted average lead content of <=0.25% and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Plumbed-In to Separate Tap

eSpring Model 100185 (100189)[Pb]	100186	.9	Disinfection Performance, Class B
eSpring Model 100185A (100189A)	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185E (100189#)[1]	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185HK (100189##)[2]	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185MX (100189MX)	100186[3]	.9	Disinfection Performance, Class B
eSpring Model 100185UA (100189UA)	100186[3]	.9	Disinfection Performance, Class B

[1] # - Suffix B, GR, HS, R, SA, SK, or W based upon market of distribution.

[2] ## - Suffix HK, IN, J, K, M, PH, SG, T, or TH based upon market of distribution.

[3] Suffix - Replacement Element - 100186 - E, J, K, ME, M, T, TH, RK based upon market of

sale.

[Pb] Product also evaluated and determined to possess weighted average lead content of $\leq 0.25\%$ and complies with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

NOTE: All replacement bulbs are components.

Number of matching Manufacturers is 1

Number of matching Products is 25

Processing time was 0 seconds